

SIDING PRODUCT DIRECTORY

August 2023



Siding • Soffit and Fascia • Trim Accessories



GENTEK®

GENTEK PRODUCT DIRECTORY

COMPOSITE CLADDING

4 ALIGN

INSULATED VINYL SIDING

5 SEQUOIA SELECT ENFUSION

VINYL SIDING

6 SEQUOIA SELECT

7 BOARD & BATTEN

8 FAIR OAKS

9 CONCORD

11 DRIFTWOOD II

12 SELECTION

VINYL SOFFIT AND ACCESSORIES

13 SEQUOIA SELECT Ultra-Premium Soffit

14 OXFORD Premium Soffit

15 EZ LOCK Soffit

16 BEADED PREMIUM Soffit

17 FAIRWEATHER Soffit

18 ALIGN Composite Accessories

19 Deep-Pocket Insulated Vinyl Accessories

20 Vinyl Accessories

ALUMINUM SIDING

26 DELUXE

28 WOODGRAIN 2000

30 CEDARWOOD

ALUMINUM SOFFIT, FASCIA AND ACCESSORIES

31 Aluminum Soffit

34 Aluminum Fascia

37 Aluminum Accessories

STEEL SIDING

43 SIERRA STEEL

44 STEELSIDE

STEEL ACCESSORIES

45 Steel Accessories

FLAT STOCK

47 Steel Flat Stock

48 Aluminum Flat Stock

GUTTER COIL

50 Aluminum Gutter Coil

COLOUR MATRIX

52 ALIGN Cladding, Sequoia Select EnFusion Siding, Accessories

54 Vinyl Siding and Soffit

56 Vinyl Accessories

58 Aluminum Siding

59 Steel Siding, Accessories, Flat Stock

60 Aluminum Soffit and Fascia

62 Aluminum Accessories, Flat Stock, Gutter Coil

65 Cedarwood Accessories, James Hardie Colour Match Trim, CanExel

ARCHITECTURAL SPECIFICATIONS

66 Vinyl Architectural Specifications

68 Aluminum Architectural Specifications

69 Steel Architectural Specifications

70 Composite Cladding Architectural Specifications

71 Colour Palettes

Not all products are available in all markets.

PRODUCT CODE & DESCRIPTION

COLOURS

CP700

7" Plank

3/8" Butt (9.5)

Panel Projection 3/4" (19)

7" Exposure per Panel (177.8)


12'3" Length (3733.8)

Cedar Mill Texture

Packaging:

14 pcs. per ctn.

1 sq. per ctn. (9.2 m²)



For ALIGN accessories,
see page 18.

Snow White

Almond

Chesapeake Gray

Coastal Blue

Dark Drift

Dover Gray

Hudson Slate

Iron Ore

Majestic Brick

Marine Dusk

Meadow Fern

Midnight Surf

Monterey Sand

Moonlit Moss

Pebble

Rockport Brown

Rockwell Blue

Smoked Timber

Storm


Windswept Smoke

PRODUCT CODE & DESCRIPTION

COLOURS

64602

Double 5" Dutch Lap



3/4" Butt (19)

Panel Projection 1-1/4" with foam

2-5" Exposure per Panel (127/254)

16'4" Length (4979)

.046" Nominal Thickness

Cedargrain Texture

Packaging:

7 pcs. per ctn.

.95 sq. per ctn. (8.84 m²)

Snow White

Almond

Dover Gray

Canyon Clay

Chesapeake Gray

Pebble


Sage

Storm

Wicker

64600

Double 6" Clapboard



3/4" Butt (19)

Panel Projection 1-1/4" with foam

2-6" Exposure per Panel

(152.4/304.8)

16'8" Length (5080)

.046" Nominal Thickness

Cedargrain Texture

Packaging:

6 pcs. per ctn.

1 sq. per ctn. (9.3 m²)

Dark Drift†

Hudson Slate†

Meadow Fern†

Midnight Surf†

Moonlit Moss†

Rockwell Blue†

Windswept Smoke†

†Designer Colour.

**For deep-pocket insulated vinyl
siding accessories, see page 19.**

PRODUCT CODE & DESCRIPTION

COLOURS

64496

Double 4" Clapboard



3/4" Butt (19)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.046" Nominal Thickness
Cedargrain Texture


Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

64495

Double 4-1/2" Dutch Lap



3/4" Butt (19)
2-4-1/2" Exposure per Panel
(114.5/229)
12'1" Length (3683)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

64497

Double 5" Clapboard




3/4" Butt (19)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Coastal Blue†
Dark Drift†
Espresso†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Rockwell Blue†
Smoked Timber†
Windswept Smoke†

64507

Double 5" Dutch Lap



3/4" Butt (19)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.046" Nominal Thickness
Cedargrain Texture


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

†Designer Colour; Double 5"
Clapboard and Double 5"
Dutch Lap not available in
Designer Colours in British
Columbia and Alberta.

PRODUCT CODE & DESCRIPTION

64397

7" Board & Batten



1/2" Batten Height (12.7)
 1-1/2" Batten Width (38.1)
 7" Exposure per Panel (178.5)
 10' Length (3048)
 .050" Nominal Thickness
 Light Roughsawn Texture

Packaging:
 17 pcs. per ctn.
 1 sq. per ctn. (9.2 m²)

COLOURS

Snow White

Almond
 Dover Gray
 Linen

Maize
 Monterey Sand
 Pearl
 Sandstone

Canyon Clay
 Chesapeake Gray
 Juniper Grove
 Pebble
 Sage
 Storm
 Wicker

Coastal Blue†
 Dark Drift†
 Espresso†
 Hudson Slate†
 Iron Ore†
 Majestic Brick†
 Marine Dusk†
 Meadow Fern†
 Midnight Surf†
 Moonlit Moss†
 Rockport Brown†
 Rockwell Blue†
 Smoked Timber†
 Windswept Smoke†

†Designer Colour; not
 available in British
 Columbia and Alberta.



FAIROAKS®

VINYL SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

64695

**Double 4"
Clapboard**



5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.044" Nominal Thickness
Hardwood Texture


Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

64696

**Double 4"
Dutch Lap**



5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

64697

**Double 5"
Clapboard**



5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.044" Nominal Thickness
Hardwood Texture


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Dark Drift†
Hudson Slate†
Majestic Brick†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Rockwell Blue†
Windswept Smoke†

†Designer Colour; Double 5"
Clapboard and Double 5"
Dutch Lap not available in
Designer Colours in British
Columbia and Alberta.

64698

**Double 5"
Dutch Lap**



5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



PRODUCT CODE & DESCRIPTION

COLOURS

64686

Double 4" Clapboard



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.042" Nominal Thickness
Light Roughsawn Texture


Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

64621

Double 4" Dutch Lap




1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

62317

Double 5" Clapboard




1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

62215

Double 5" Dutch Lap



1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



CONCORD®


VINYL SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

64755

10" Vertical



10" Exposure per Panel (254)

10' Length (3048)

.042" Nominal Thickness

Light Roughsawn Texture

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.6 m²)

Snow White

Almond

Dover Gray

Linen

Maize

Monterey Sand

Pearl

Sandstone

Canyon Clay

Chesapeake Gray

Juniper Grove

Pebble

Sage

Storm

Wicker




DRIFTWOOD® II VINYL SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

62450

Double 4" Clapboard



7/16" Butt (11.1)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.040" Nominal Thickness
Natural Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond

Amber

Dover Gray

Linen

Maize


Monterey Sand

Pearl

Sandstone

62452

Double 4-1/2" Dutch Lap



7/16" Butt (11.1)
2-4-1/2" Exposure per Panel
(114.5/229)
12'1" Length (3683)
.040" Nominal Thickness
Natural Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay

Chesapeake Gray

Juniper Grove

Pebble

Sage

Storm

Wicker




SELECTION | VINYL SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

64266

**Double 4"
Dutch Lap**



7/16" (11.1)

2-4" Exposure per Panel
(101.6/203.2)

12'6" Length (3810)

.040" Nominal Thickness

Driftwood Texture

Packaging:


24 pcs. per ctn.

2 sqs. per ctn. (18.6 m²)

Snow White

64268

**Double 5"
Dutch Lap**



7/16" (11.1)

2-5" Exposure per Panel
(127/254)

12' Length (3658)

.040" Nominal Thickness

Driftwood Texture

Packaging:

20 pcs. per ctn.

2 sqs. per ctn. (18.6 m²)


PRODUCT CODE & DESCRIPTION

COLOURS

64550

12" T-4

**Solid Soffit/
Vertical Siding**



12" Exposure per Panel (304.8)

12' Length (3658)

.044" Nominal Thickness

3/4" Nominal Panel Projection

Matte Texture

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Snow White

Almond

Dover Gray

Linen

Maize

Monterey Sand


Pearl

Sandstone

64552

12" T-4

Soffit/Hidden Vent



12" Exposure per Panel (304.8)

12' Length (3658)

.044" Nominal Thickness

3/4" Nominal Panel Projection

Matte Texture

10 sq. in. ventilation per lineal ft.

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Canyon Clay

Juniper Grove

Pebble

Sage

Wicker

Musket Brown†


†Designer Colour;
soffit use only.

PRODUCT CODE & DESCRIPTION

COLOURS

64751

10" D-5 Solid Soffit/ Vertical Siding



10" Exposure per Panel (254)
10' Length (3048)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond

Dover Gray

Linen

Maize


Monterey Sand

Pearl

Sandstone

64755

10" D-5 Solid Soffit/ Vertical Siding



10" Exposure per Panel (254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay

Chesapeake Gray

Juniper Grove

Pebble

Sage

Storm

Wicker


Black†

Musket Brown†

†Designer Colour;
soffit use only.

64754

10" D-5 Fully Vented Soffit



10" Exposure per Panel (254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture
5.3 sq. in. ventilation per lineal ft.


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

PRODUCT CODE & DESCRIPTION

COLOURS

64885
EZ Lock
8" Solid Soffit

8" Exposure per Panel (203.2)
12'6" Length (3810)
.041" Nominal Thickness
Light Roughsawn Texture



Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Linen


Wicker

Black†

†Designer Colour;
soffit use only.

64880
EZ Lock
8" Vented Soffit

8" Exposure per Panel (203.2)
12'6" Length (3810)
.041" Nominal Thickness
Light Roughsawn Texture
5.3 sq. in. ventilation per lineal ft.




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

PRODUCT CODE & DESCRIPTION

COLOURS

64370

8" Solid Soffit*



8" Exposure per Panel (203.2)
12'6" Length (3810)
.042" Nominal Thickness
Matte Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

*Soffit use only.

Snow White

Linen

Monterey Sand


Canyon Clay

Pebble

Wicker

64375

8" Vented Soffit




8" Exposure per Panel (203.2)
12'6" Length (3810)
.042" Nominal Thickness
Matte Texture
2.4 sq. in. ventilation per lineal ft.

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

PRODUCT CODE & DESCRIPTION
COLOURS

64456

12" T-4
**Solid Soffit/
Vertical Siding**


12" Exposure per Panel (304.8)

12' Length (3658)

.040" Nominal Thickness

1/2" Nominal Panel Projection

Brushed Texture

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Snow White

Almond

Dover Gray

Linen


Maize

Monterey Sand

Pearl

Sandstone

64460

12" T-4
Centre Vented Soffit*


12" Exposure per Panel (304.8)

12' Length (3658)

.040" Nominal Thickness

1/2" Nominal Panel Projection

Brushed Texture

2.3 sq. in. ventilation per lineal ft.

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Canyon Clay

Chesapeake Gray

Juniper Grove

Pebble

Sage

Storm


Wicker

Musket Brown†

†Designer Colour;
soffit use only.

*Available in Snow White only.

64458

12" T-4
Fully Vented Soffit


12" Exposure per Panel (304.8)

12' Length (3658)

.040" Nominal Thickness

1/2" Nominal Panel Projection

Brushed Texture

7.1 sq. in. ventilation per lineal ft.

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)


PRODUCT CODE & DESCRIPTION**COLOURS**

CP001

10' Length (3048)

Universal


Packaging:
24 pcs. per ctn.



CP011
Finish Trim

12'6" Length (3810)


Packaging:
20 pcs. per ctn.



ALIGN Composite Cladding is compatible with a range of trim options including vinyl accessories 65504/65524, 65520/65521, 65533, 65538 on pages 20-22 and aluminum trim coil 3037 on page 48.

PRODUCT CODE & DESCRIPTION**COLOURS**

65604

4"**Outside Corner Post
with Foam**

4" Face (101.6)

10' Length (3048)

Brushed Texture

Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)

Snow White

Almond

Dover Gray

Canyon Clay

Chesapeake Gray


Pebble

Sage

Storm

Wicker

65606 (Special Order)

**1-1/4" J-Channel
with 1" Face**

12' Length (3658)

Brushed Texture

Packaging:

30 pcs. per ctn.

432 lineal ft. per ctn. (131.7 m)

Dark Drift†

Hudson Slate†

Meadow Fern†

Midnight Surf†


Moonlit Moss†

Rockwell Blue†

Windswept Smoke†

†Designer Colour.

K661945

Easy Start Starter Strip

12'6" Length (3810)

Packaging:

24 pcs. per ctn.

300 lineal ft. per ctn. (91.5 m)

Available in neutral colour only.

PRODUCT CODE & DESCRIPTION

COLOURS

65504/65524 (Dark Colours)

3-1/2"


Outside Corner Post

3-1/2" Face (88.9)

10' Length (3048)

Brushed Texture

See Matrix On
Pages 56-57.



Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)

65501


3"

Outside Corner Post

3" Face (76.2)

10' Length (3048)

Brushed Texture



Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)

65507


6" Designer

Outside Corner Post

6" Face (152.4)

20' Length (6096)

Brushed Texture



Packaging:

5 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)

68030


Bay and Bow

Outside Corner Post

2" Face (50.8)

12'6" Length (3810)

Matte Texture



Packaging:

10 pcs. per ctn.

125 lineal ft. per ctn. (38 m)

PRODUCT CODE & DESCRIPTION

COLOURS

68020

Beaded Corner Post with Foam Insert

20' Length (6096)

Matte Texture


See Matrix On

Pages 56-57.

Packaging:

5 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)



65520/65521 (Dark Colours)

3-1/2"

3/4" Inside Corner Post


10' Length (3048)

Brushed Texture

Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)



65560

1/2" J-Channel


12' Length (3658)

Brushed Texture

Packaging:

40 pcs. per ctn.

480 lineal ft. per ctn. (146.3 m)



65536

5/8" Premium J-Channel


12' Length (3658)

Brushed Texture

Packaging:

40 pcs. per ctn.

480 lineal ft. per ctn. (146.3 m)



PRODUCT CODE & DESCRIPTION


COLOURS

65533
**3/4" Premium
J-Channel**

12' Length (3658)
Brushed Texture

See Matrix On
Pages 56-57.

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)




65606 (Special Order)
**1-1/4" J-Channel*
with 1" Face**

12' Length (3658)
Brushed Texture

Packaging:
30 pcs. per ctn.
432 lineal ft. per ctn. (131.7 m)


*Can be used with Sequoia Select EnFusion
insulated siding.



65538
**2-1/2" Wide Face
J-Channel**

12' Length (3658)
Brushed Texture

Packaging:
18 pcs. per ctn.
216 lineal ft. per ctn. (65.8 m)




65570/65571
Undersill Trim*

12' Length (3658)
Brushed Texture

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)

*Also used as a starter strip for 5" lineal.



PRODUCT CODE & DESCRIPTION


COLOURS

67750
Double Undersill Trim

12' Length (3658)
Smooth Texture

See Matrix On
Pages 56-57.


Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



65581
Drip Cap

12' Length (3658)
Brushed Texture


Packaging:
45 pcs. per ctn.
540 lineal ft. per ctn. (164.6 m)



65583
3-1/2" Window/Door Surround

3-1/2" Face (88.9)
20' Length (6096)
Matte Texture


Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



65750
5" Window/Door Surround

5" Face (127)
20' Length (6096)
Matte Texture

Packaging:
10 pcs. per ctn.
200 lineal ft. per ctn. (61 m)



PRODUCT CODE & DESCRIPTION

COLOURS


65700

Surround Starter

12' Length (3658)

See Matrix On
Pages 56-57.

Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.4 m)




65551

Starter Strip*

12' Length (3658)

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)

*For Sequoia Select, use Universal starter strip
(0109025) located on page 40.




65599

F-Channel

12' Length (3658)

Brushed Texture

Packaging:
24 pcs. per ctn.
288 lineal ft. per ctn. (87.8 m)




68080

3/4" F-Channel

12'6" Length (3810)

Brushed Texture

Packaging:
32 pcs. per ctn.
400 lineal ft. per ctn. (122 m)



PRODUCT CODE & DESCRIPTION


COLOURS

65568
3/8" Soffit Cove
J-Channel

12'6" Length (3810)
Matte Texture

See Matrix On
Pages 56-57.


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



65548
Soffit Double Channel

12' Length (3658)
Brushed Texture

Packaging:
20 pcs. per ctn.
240 lineal ft. per ctn. (73.2 m)





DELUXE™

ALUMINUM SIDING

ALUMINUM SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

1002

8" Horizontal

1/2" Butt (12.7)


8" Exposure per Panel (203.2)

12'6" Length (3810)

Poly Finish

Smooth Texture

See Matrix On
Page 58.



Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)

1191

Double 4" Clapboard


1/2" Butt (12.7)

2-4" Exposure per Panel
(101.6/203.2)

12'6" Length (3810)

Poly Finish

Smooth Texture



Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)

1302


8" Vertical Board & Batten

8" Exposure per Panel (203.2)

10' Length (3048)

Poly Finish

Smooth Texture



Packaging:

15 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

1438


Vertical "V" Standard Gauge (0.40 mm)

7-1/4" Exposure per Panel (184.2)

9'7-3/8" Length (2930)

Poly Finish

Smooth Texture



Packaging:

17 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

26

For Complete Aluminum Siding Colours, See Matrix On Page 58.

For metric, unless indicated otherwise, all measurements are in millimeters (mm).

GENTEK


PRODUCT CODE & DESCRIPTION

COLOURS

1429
Vertical “V”
Heavy Gauge
(0.44 mm)

7-1/4" Exposure per Panel (184.2)
9'7-3/8" Length (2930)
Poly Finish
Smooth Texture

See Matrix On
Page 58.



Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



WOODGRAIN™ 2000

ALUMINUM SIDING

ALUMINUM SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

1003

8" Horizontal


1/2" Butt (12.7)

8" Exposure per Panel (203.2)

12'6" Length (3810)

Woodgrain Texture

See Matrix on
Page 58.



Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)

1192

**Double 4" Clapboard
Standard Gauge
(0.40 mm)**

1/2" Butt (12.7)

2-4" Exposure per Panel
(101.6/203.2)


12'6" Length (3810)

Woodgrain Texture

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)



1186

**Double 4" Clapboard
Heavy Gauge
(0.44 mm)**

1/2" Butt (12.7)

2-4" Exposure per Panel
(101.6/203.2)


12'6" Length (3810)

Woodgrain Texture

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)



1188

**Double 4" Dutch Lap
Standard Gauge
(0.40 mm)**

1/2" Butt (12.7)

2-4" Exposure per Panel
(101.6/203.2)


12'6" Length (3810)

Woodgrain Texture

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)




PRODUCT CODE & DESCRIPTION

COLOURS

1185

**Double 4" Dutch Lap
Heavy Gauge
(0.44 mm)**




1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
Woodgrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

See Matrix on
Page 58.

1303

**8" Vertical
Board & Batten**




1/2" Butt (12.7)
8" Exposure per Panel (203.2)
10' Length (3048)
Woodgrain Texture

Packaging:
15 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

1439

**Vertical "V"
Standard Gauge
(0.40 mm)**




7-1/4" Exposure per Panel (184.2)
9'7-3/8" Length (2930)
Woodgrain Texture

Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

1425

**Vertical "V"
Heavy Gauge
(0.44 mm)**



7-1/4" Exposure per Panel (184.2)
9'7-3/8" Length (2930)
Woodgrain Texture

Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



CEDARWOOD®

ALUMINUM SIDING


ALUMINUM SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

1207

**Double 5"
Clapboard**



1/2" Butt (12.7)

2-5" Exposure per Panel (127/254)

12' Length (3658)

PVDF Finish (Kynar)

Woodgrain Texture

Variegated Colours

See Matrix On
Page 58.

Packaging:

20 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)


PRODUCT CODE & DESCRIPTION**COLOURS**

1602
16" 2-Panel Soffit
Solid
Standard Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Length (3708)
Smooth Texture

See Matrix On
Pages 60-61.


Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)



1603
16" 2-Panel Soffit
Vented
Standard Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Length (3708)
4.02 sq. in. ventilation per lineal ft.
Smooth Texture


Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)



1620
16" 2-Panel Soffit
Solid
Heavy Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Length (3708)
Smooth Texture


Packaging:
12 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)



1622
16" 2-Panel Soffit
Vented
Heavy Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Length (3708)
4.02 sq. in. ventilation per lineal ft.
Smooth Texture

Packaging:
12 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)



PRODUCT CODE & DESCRIPTION


COLOURS

1601
**16" 4-Panel Soffit
Solid**

16" Exposure per Panel (406.4)
12'2-3/8" Length (3718)
Smooth Texture

See Matrix On
Pages 60-61.


Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)



1606
**16" 4-Panel Soffit
Vented**

16" Exposure per Panel (406.4)
12'2-3/8" Length (3718)
4.12 sq. in. ventilation per lineal ft.
Smooth Texture


Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)



1615
**16" 4-Panel Soffit
Vented
Heavy Gauge**

16" Exposure per Panel (406.4)
12'2-3/8" Length (3718)
4.12 sq. in. ventilation per lineal ft.
Smooth Texture

Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)



PRODUCT CODE & DESCRIPTION


COLOURS

2330
18" 3-Panel Soffit
Solid
Heavy Gauge

18" Exposure per Panel (457.2)
10' Length (3048)
Smooth Texture

See Matrix On
Pages 60-61.


Packaging:
12 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)



2345
18" 3-Panel Soffit
Vented
Heavy Gauge

18" Exposure per Panel (457.2)
10' Length (3048)
5.46 sq. in. ventilation per lineal ft.
Smooth Texture

Packaging:
12 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)



PRODUCT CODE & DESCRIPTION

COLOURS


1694

4" Fascia Standard Gauge

9'10" Length (3000)
Ribbed

See Matrix On
Pages 60-61.

Packaging:
30 pcs. per ctn.
295 lineal ft. per ctn. (90 m)




1693

4" Fascia Economy Gauge

9'10" Length (3000)
Ribbed

Packaging:
30 pcs. per ctn.
295 lineal ft. per ctn. (90 m)




1696/1697

6" Fascia Standard Gauge

9'10" Length (3000)
Ribbed

Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)




1691

6" Fascia Economy Gauge

9'10" Length (3000)
Ribbed


Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)



PRODUCT CODE & DESCRIPTION**COLOURS**

2020
**6" Fascia
Heavy Gauge**

6"
(152.4)



9'10" Length (3000)
Ribbed


Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)

1697 available in AluCopper.

See Matrix On
Pages 60-61.

2024
**6" Fascia
Heavy Gauge**

6"
(152.4)




9'10" Length (3000)
Plain

Packaging:
25 pcs. per ctn.
245.8 lineal ft. per ctn. (75 m)

1698
**8" Fascia
Standard Gauge**

8"
(203.2)




9'10" Length (3000)
Ribbed

Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)

2030
**8" Fascia
Heavy Gauge**

8"
(203.2)



9'10" Length (3000)
Ribbed

Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)

PRODUCT CODE & DESCRIPTION


COLOURS

2025

**8" Fascia
Heavy Gauge**

9'10" Length (3000)
Plain

See Matrix On
Pages 60-61.




Packaging:
25 pcs. per ctn.
245.8 lineal ft. per ctn. (75 m)

1670

**10" Fascia
Standard Gauge**

9'10" Length (3000)
Ribbed

Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)



PRODUCT CODE & DESCRIPTION


COLOURS

2319 Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Smooth Texture

See Matrix On
Pages 62-65.


Packaging:
10 pcs. per ctn.



2312 Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Woodgrain Texture


Packaging:
10 pcs. per ctn.



2300 Individual Corner Cap

8" Exposure (203.2)
Smooth Texture


Packaging:
100 pcs. per ctn.



2502 3/4" J Trim

12' Length (3658)
Smooth Texture

Packaging:
40 pcs. per ctn.



PRODUCT CODE & DESCRIPTION

COLOURS

2503


Universal J

10' Length (3048)

Smooth Texture

See Matrix On
Pages 62-65.

Packaging:
20 pcs. per ctn.



2520/2522


Soffit J (BSP)*

12' Length (3658)

Smooth Texture

Packaging:
25 pcs. per ctn.

2522 – only available in AluCopper




2507

**3/4" Wideface
Soffit J**

12' Length (3658)

Smooth Texture

Packaging:
24 pcs. per ctn.




1692

Channel Runner

12' Length (3658)

Smooth Texture

Packaging:
25 pcs. per ctn.



PRODUCT CODE & DESCRIPTION


COLOURS

2538
L-Trim Small

12' Length (3658)
Smooth Texture

See Matrix On
Pages 62-65.


Packaging:
20 pcs. per ctn.



2543
Drip Cap

12' Length (3658)
Smooth Texture


Packaging:
20 pcs. per ctn.



2567
Roof Edge Drip Cap

10' Length (3048)
Smooth Texture


Packaging:
20 pcs. per ctn.



2573
3" Ø Roof Edge

10' Length (3048)
Smooth Texture

Packaging:
20 pcs. per ctn.



PRODUCT CODE & DESCRIPTION

COLOURS

2575

4" 0° Roof Edge

10' Length (3048)


Smooth Texture

See Matrix On

Pages 62-65.

Packaging:

20 pcs. per ctn.



2577


6" 0° Roof Edge

10' Length (3048)

Smooth Texture

Packaging:

20 pcs. per ctn.



2550


**Snap-Lock
Sill Trim**

12' Length (3658)

Smooth Texture

Packaging:

40 pcs. per ctn.



0109025


Universal Starter Strip

10' Length (3100)

Smooth Texture

Packaging:

50 pcs. per ctn.



PRODUCT CODE & DESCRIPTION


COLOURS

2504
Woodgrain™ 2000
Undersill Trim

10' Length (3048)
Smooth Texture

See Matrix On
Pages 62-65.


Packaging:
25 pcs. per ctn.



2403
Woodgrain™ 2000
Fascia Trim

10' Length (3048)
Woodgrain Texture


Packaging:
20 pcs. per ctn.



2311
Woodgrain™ 2000
Individual Corner Cap

8" Exposure (203.2)
Woodgrain Texture


Packaging:
100 pcs. per ctn.



2317
Cedarwood®
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colours

Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)




PRODUCT CODE & DESCRIPTION

COLOURS

2318
Cedarwood®
3/4" J-Channel

12' Length (3658)
 PVDF Finish (Kynar)
 Smooth Texture
 Variegated Colours

See Matrix On
 Pages 62-65.




Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)

2320
Cedarwood®
Snap-Lock Finish Trim

12' Length (3658)
 PVDF Finish (Kynar)
 Smooth Texture
 Variegated Colours

Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)




PRODUCT CODE & DESCRIPTION

COLOURS

1750

Double 4" Clapboard



1/2" Butt (12.7)

2-4" Exposure per Panel

(101.6/203.2)

12'6" Length (3810)

500 Finish (Kynar)

Roughsawn Texture

Packaging:

10 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

Bright White

Chelsea Bluff

Delray Sand

Dover Gray

Iron Ore

Juniper Grove

Monterey Sand

Rockwell Blue

Sable

Storm


Taylor Red

Thistle

Watermill Blue

1755

Double 5" Clapboard



1/2" Butt (12.7)

2-5" Exposure per Panel

(127/254)

12' 6" Length (3810)

500 Finish (Kynar)

Roughsawn Texture


Packaging:

10 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

1748

8" Horizontal



1/2" Butt (12.7)

8" Exposure per Panel (203.2)

12'6" Length (3810)

500 Finish (Kynar)

Roughsawn Texture


Packaging:

12 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

1752

12" Vertical Board & Batten



5/8" Batten Height (15.9)

2" Batten Width (50.8)

12" Exposure per Panel (304.8)

10' Length (3048)

500 Finish (Kynar)

Medium Woodgrain Texture

Packaging:


10 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

PRODUCT CODE & DESCRIPTION

COLOURS

1754
Double 5"
Clapboard




1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
PVC Finish
Woodgrain Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

Bright White

Almond
Brownstone
Canyon Clay
Dover Gray
Norwood
Pacific Blue
Sable
Sage
Thistle
Wicker

1751
8" Horizontal



1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)


PRODUCT CODE & DESCRIPTION

COLOURS

1813
**3/4" Outside
Corner Post**

2-1/2" Face (63.5)
10' Length (3048)
PVC Striated Finish
Woodgrain Texture

See Matrix On
Page 59.




Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)

1814
3/4" J-Channel

12'6" Length (3810)
PVC Striated Finish
Smooth Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



1829
2-1/2" Starter Strip

10' Length (3048)


Packaging:
26 pcs. per ctn.
260 lineal ft. per ctn. (79.3 m)



1835
**Universal
3/4" Outside
Corner Post
Kynar**

2-1/2" Face (63.5)
10' Length (3048)
Kynar PVDF Finish
Woodgrain Texture

Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)




PRODUCT CODE & DESCRIPTION

COLOURS

1842
3/4" J-Channel
Kynar

12'6" Length (3810)
Kynar PVDF Finish
Woodgrain Texture


See Matrix On
Page 59.



Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)

1841
1-1/8" J-Channel
Kynar

12'6" Length (3810)
Kynar PVDF Finish
Woodgrain Texture




Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)

1850
Snap-Lock
Finish Trim
Kynar

12'6" Length (3810)
Kynar PVDF Finish
Woodgrain Texture

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)




PRODUCT CODE & DESCRIPTION

COLOURS

1877/29-GA
Flat Stock
PVC Coated

20-7/8" Width (530.23)
50' Length (15.24 m)

See Matrix On
Page 59.




PRODUCT CODE & DESCRIPTION

COLOURS

3036

Flat Stock
24" x 50' (BSP)*


50' Length (15.24 m)

NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.See Matrix On
Pages 62-63.

3037

Flat Stock
24" x 98' 1/2" (BSP)*


98' 1/2" Length (30.02 m)

NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.

3307

Flat Stock
24" x 98' 1/2" (BSP)*
CanExel Colours


98' 1/2" Length (30.02 m)

NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.

3039

Flat Stock
24" x 98' 1/2" (OSP)*

98' 1/2" Length (30.02 m)



PRODUCT CODE & DESCRIPTION


COLOURS

3304
Flat Stock
24" x 50' (BSP)*

50' Length (15.24 m)

NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.


See Matrix On
Pages 62-63.



3531
Flat Stock
24" x 98' 1/2" (BSP)*

98' 1/2" Length (30.02 m)


NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.



3311
PVC Striated
Flat Stock
24" x 50' (OSP)*

50' Length (15.24 m)

NOTE: One Side Painted, Light Gauge.



*BSP – both sides painted.
*OSP – one side painted.

GUTTER COIL | ALUMINUM

PRODUCT CODE & DESCRIPTION


COLOURS

3025

**10-1/2" Gutter Coil
(OSP)***

Width per coil 10-1/2" (267)


See Matrix On
Pages 62-63.



3006

**11-7/8" Gutter Coil
(OSP)***


Width per coil 11-7/8" (301.5)



3009

**11-7/8" Gutter Coil
(BSP)***


Width per coil 11-7/8" (301.5)
White Exterior



3045

**11-7/8" Gutter Coil
Heavy Gauge
(OSP)***

Width per coil 11-7/8" (301.5)
Thickness: 0.027 mm



50

*BSP – both sides painted.
*OSP – one side painted.

PRODUCT CODE & DESCRIPTION**COLOURS**


3049

**11-7/8" Gutter Coil
Heavy Gauge
(BSP)***

Width per coil 11-7/8" (301.5)

White Exterior


Thickness: 0.027 mm

See Matrix On
Pages 62-63.

3012

**13-1/2" Gutter Coil
(BSP)***


Width per coil 13-1/2" (343)



3084

**6" Gutter Coil
(BSP)***

Width per coil 6" (152.4)



ALIGN CLADDING AND ACCESSORIES COLOUR MATRIX

- Available in this colour.

● Available in this colour.	Colour Palette																					
	01	Snow White	632	Almond	872	Chesapeake Gray	625	Coastal Blue	655	Dark Drift	127	Dover Gray	873	Hudson Slate	642	Iron Ore	876	Majestic Brick	877	Marine Dusk	874	Meadow Fern
	ALIGN Cladding																					
	7" Plank	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Accessories																					
	CP001 2-1/2" Steel Starter Strip																					
	CP011 Finish Trim																					

SEQUOIA SELECT ENFUSION SIDING AND ACCESSORIES

- Available in this colour.

	Classic Colours									
	001 Snow White	632 Almond	010 Canyon Clay	872 Chesapeake Gray	127 Dover Gray	628 Pebble	624 Sage	631 Storm	638 Wicker	
EnFusion Siding										
Double 5" Dutch Lap	•	•	•	•	•	•	•	•	•	
Double 6" Clapboard	•	•	•	•	•	•	•	•	•	
Accessories										
65604 4" Outside Corner Post w/ Foam	•	•	•	•	•	•	•	•	•	
65606 1-1/4" J-Channel	•	•	•	•	•	•	•	•	•	
K661945 Easy Start Starter Strip										

COLOUR MATRIX

Designer Colours					
655	Dark Drift	•	•	•	•
873	Hudson Slate	•	•	•	•
874	Meadow Fern	•	•	•	•
652	Midnight Surf	•	•	•	•
653	Moonlit Moss	•	•	•	•
637	Rockwell Blue	•	•	•	•
651	Windswept Smoke	•	•	•	•
Neutral					
•		•	•	•	•

652	Midnight Surf		
673	Monterey Sand		
653	Moonlit Moss		
628	Pebble		
875	Rockport Brown		
637	Rockwell Blue		
878	Smoked Timber		
631	Storm		
651	Windswept Smoke		
	Universal		

VINYL SIDING AND SOFFIT COLOUR MATRIX

- Available in this colour.

• Available in this colour.	Classic Colours											
	001 Snow White	632 Almond	616 Amber	010 Canyon Clay	872 Chesapeake Gray	127 Dover Gray	633 Juniper Grove	012 Linen	002 Maize	673 Monterey Sand	006 Pearl	628 Pebble
Sequoia Select												
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 4-1/2" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
Double 5" Clapboard*	•	•		•	•	•	•	•	•	•	•	•
Double 5" Dutch Lap*	•	•		•	•	•	•	•	•	•	•	•
Board & Batten												
7" Vertical Board & Batten*	•	•		•	•	•	•	•	•	•	•	•
Fair Oaks												
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 4" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
Double 5" Clapboard*	•	•		•	•	•	•	•	•	•	•	•
Double 5" Dutch Lap*	•	•		•	•	•	•	•	•	•	•	•
Concord												
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 4" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
Double 5" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 5" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
10" Vertical	•	•		•	•	•	•	•	•	•	•	•
Driftwood II												
Double 4" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•
Double 4-1/2" Dutch Lap	•	•	•	•	•	•	•	•	•	•	•	•
Vinyl Soffit												
Sequoia Select Ultra-Premium 12"	•	•		•		•	•	•	•	•	•	•
Oxford Premium 10"	•	•		•	•	•	•	•	•	•	•	•
Beaded Premium 8"	•			•				•		•		•
Fairweather 12"	•	•		•	•	•	•	•	•	•	•	•
EZ Lock 8"	•							•				

Note: Black and Musket Brown are for soffit use only, not as vertical siding. Beaded Premium soffit is not offered as vertical siding. Fairweather centre vented soffit is available in Snow White only.

*Designer Colours not available in British Columbia and Alberta.

VINYL ACCESSORIES | COLOUR MATRIX

- Available in this colour.

● Available in this colour.	Classic Colours											
	001 Snow White	632 Almond	616 Amber	010 Canyon Clay	872 Chesapeake Gray	127 Dover Gray	633 Juniper Grove	012 Linen	002 Maize	673 Monterey Sand	006 Pearl	628 Pebble
65504 3-1/2" Outside Corner Post (OCP)	●	●		●	●	●	●	●	●	●	●	●
65524 3-1/2" OCP – Dark Colours												
65501 3" Outside Corner Post	●	●	●	●	●	●	●	●	●	●	●	●
65507 6" Designer Outside Corner Post	●	●		●		●	●	●		●	●	●
65520 Inside Corner Post	●	●	●	●	●	●	●	●	●	●	●	●
65521 Inside Corner Post – Dark Colours												
65560 1/2" J-Channel	●	●		●	●	●	●	●	●	●	●	●
65536 5/8" Premium J-Channel	●	●	●	●	●	●	●	●	●	●	●	●
65533 3/4" Premium J-Channel	●	●		●	●	●	●	●	●	●	●	●
65606 1-1/4" J-Channel	●	●		●		●	●	●	●	●	●	●
65538 2-1/2" Wide Face J-Channel	●	●		●		●	●	●	●	●	●	●
65570 Undersill Trim	●	●	●	●	●	●	●	●	●	●	●	●
65571 Undersill Trim – Dark Colours												
67750 Double Undersill Trim	●	●	●	●		●	●	●	●	●	●	●
65581 Drip Cap	●	●	●	●	●	●	●	●	●	●	●	●
65700 Surround Starter	●											
65551 Starter Strip												
65599 F-Channel	●	●	●	●	●	●	●	●	●	●	●	●
68080 3/4" F-Channel	●											●
65568 3/8" Soffit Cove J-Channel	●											
65548 Soffit Double Channel	●											
68030 Bay and Bow Outside Corner Post	●											
68020 Beaded Corner Post w/insulation	●											
65583 3-1/2" Window/Door Surround	●	●						●				
65750 5" Window/Door Surround	●											

Designer Colours														
624 Sage	•		•		•		•		•		•		•	
640 Sandstone	•		•	•	•		•		•		•		•	
631 Storm	•		•	•	•		•		•		•		•	
638 Wicker	•		•	•	•		•		•		•		•	
625 Coastal Blue		•			•		•		•		•		•	
655 Dark Drift		•			•		•		•		•		•	
636 Espresso		•			•		•		•		•		•	
873 Hudson Slate		•			•		•		•		•		•	
642 Iron Ore		•			•		•		•		•		•	
876 Majestic Brick		•			•		•		•		•		•	
877 Marine Dusk		•			•		•		•		•		•	
874 Meadow Fern		•			•		•		•		•		•	
652 Midnight Surf		•			•		•		•		•		•	
653 Moonlit Moss		•			•		•		•		•		•	
875 Rockport Brown		•			•		•		•		•		•	
637 Rockwell Blue		•			•		•		•		•		•	
878 Smoked Timber		•			•		•		•		•		•	
651 Windswept Smoke		•			•		•		•		•		•	
Neutral														•

ALUMINUM SIDING COLOUR MATRIX

- Available in this colour.

		Deluxe Aluminum				Woodgrain 2000					Cedarwood	
		8" Horizontal	Double 4" Clapboard	8" Vertical Board & Batten	Vertical "V"	8" Horizontal	Double 4" Clapboard	Double 4" Dutch Lap	8" Vertical Board & Batten	7-1/4" Vertical "V"	Double 5" Clapboard	
Colour Palette	431 Bright White	•	•	•	•	•	•	•	•	•		
	429 Ice White				•					•		
	432 Almond		•	•	•		•	•	•	•		
	425 Black				•					•		
	471 Brownstone		•		•					•		
	410 Canyon Clay		•		•		•			•		
	4C1 Cheapeake Gray		•		•			•		•		
	454 Chestnut Brown		•	•	•		•	•	•	•		
	462 Commercial Brown		•	•	•		•	•	•	•		
	457 Dark Drift									•		
	436 Dover Gray		•		•		•			•		
	4C2 Hudson Slate		•		•			•		•		
	4P6 Iron Ore		•		•			•		•		
	402 Maize		•	•	•		•	•	•	•		
	459 Pebble		•	•	•		•	•	•	•		
	447 Sable									•		
	408 Sandalwood							•		•		
	440 Sandstone				•					•		
	423 Slate		•		•		•			•		
	470 Storm		•		•		•	•		•		
	407 Tan		•		•		•			•		
	438 Wicker		•		•		•			•		
	406 Windswept Smoke		•		•			•		•		
Variegated	990 Aspen Gray										•	
	992 Chestnut Brown										•	
	994 Maple Tan										•	
	996 Tawny Oak										•	

Additional colours available. Not all colours available in all profiles; see your Gentek representative for details.

Note: Colours for standard gauge and heavy gauge panels may vary. Confirm colour availability with your Gentek representative by specific product code.

STEEL SIDING COLOUR MATRIX

		Colour Palette												
	431 Bright White	796 Chelsea Bluff	795 Delray Sand	836 Dover Gray	4P6 Iron Ore	633 Juniper Grove	673 Monterey Sand	637 Rockwell Blue	712 Sable	470 Storm	793 Taylor Red	826 Thistle	714 Watermill Blue	
Sierra Steel with Kynar 500														
Double 4" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	
Double 5" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	
Horizontal 8"	•	•	•	•	•	•	•	•	•	•	•	•	•	
12" Vertical Board & Batten	•	•	•	•	•	•	•	•	•	•	•	•	•	
Steel Accessories														
1835 3/4" Outside Corner Post – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1842 3/4" J-Channel – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1841 1-1/8" J-Channel – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1850 Snap-Lock Finish – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1715 24" x 50" Alum. Trim Coil – Poly	•	•	•	•	•	•	•	•	•	•	•	•	•	

		Colour Palette										
	831 Bright White	832 Almond	871 Brownstone	810 Canyon Clay	836 Dover Gray	866 Norwood	201 Pacific Blue	712 Sable	817 Sage	826 Thistle	838 Wicker	Neutral
SteelSide												
Double 5" Clapboard	•	•	•	•	•	•	•	•	•	•	•	
Horizontal 8"	•	•	•	•	•	•	•	•	•	•	•	
Steel Accessories												
1813 3/4" Outside Corner Post	•	•	•	•	•	•	•	•	•	•	•	
1814 3/4" J-Channel	•	•	•	•	•	•	•	•	•	•	•	
1829 2-1/2" Starter Strip												•

	431 Bright White	826 Thistle
Steel Flat Stock		
1877/29-GA 20-7/8" x 50' (PVC)	•	•

ALUMINUM SOFFIT AND FASCIA COLOUR MATRIX

- Available in this colour.

Colour Palette		Aluminum Soffit					Aluminum Fascia									
		16" 2-Panel Standard Gauge	16" 2-Panel Heavy Gauge	16" 4-Panel Standard Gauge	16" 4-Panel Heavy Gauge	18" 3-Panel Heavy Gauge	4" Standard Gauge, Ribbed	4" Economy Gauge, Ribbed	6" Standard Gauge, Ribbed	6" Economy Gauge, Ribbed	6" Heavy Gauge, Ribbed	6" Heavy Gauge, Plain	8" Standard Gauge, Ribbed	8" Heavy Gauge, Ribbed	8" Heavy Gauge, Plain	10" Standard Gauge, Ribbed
431 Bright White		•		•	•	•	•	•	•	•	•	•	•	•	•	•
429 Ice White		•		•					•				•			
430 Rainware White											•	•			•	
86 White 701				•	•											
432 Almond		•		•		•			•		•	•	•	•	•	•
475 AluCopper			•						•							
165 Antique Brown		•		•					•				•			•
425 Black		•		•	•				•				•			•
471 Brownstone		•		•					•				•			
467 Burgundy		•		•					•				•			•
410 Canyon Clay		•		•					•		•	•	•	•	•	•
414 Cashmere		•		•					•		•	•	•	•	•	•
4C1 Chesapeake Gray		•		•					•				•			•
454 Chestnut Brown		•		•		•	•		•		•	•	•	•	•	•
462 Commercial Brown		•		•	•				•		•	•	•	•	•	•
436 Dover Gray		•		•					•		•	•	•	•	•	•
4P5 Graphite		•		•					•				•			•
422 Ivy Green		•		•					•				•			•
402 Maize		•		•					•		•	•	•	•	•	•
4P4 Metallic Gray		•		•					•				•			•
4P8 Monterey Sand		•		•					•				•			•
468 Nutmeg		•		•		•	•		•				•			•
442 Old World Blue		•		•					•				•			•
434 Pearl				•												
459 Pebble		•		•					•		•	•	•	•	•	•
447 Sable		•		•					•				•			•
417 Sage		•		•					•				•			•
408 Sandalwood		•		•		•			•		•	•	•	•	•	•
440 Sandstone		•		•					•		•	•	•	•	•	•
423 Slate		•		•	•				•				•			•
470 Storm		•		•					•				•			•
407 Tan		•		•					•				•			•
435 Wedgewood Blue		•		•					•				•			•
438 Wicker		•		•					•		•	•	•	•	•	•

Designer Colours		Aluminum Soffit						Aluminum Fascia									
		16" 2-Panel Standard Gauge						4" Standard Gauge, Ribbed									
		16" 2-Panel Heavy Gauge						4" Economy Gauge, Ribbed									
		16" 4-Panel Standard Gauge						6" Standard Gauge, Ribbed									
		16" 4-Panel Heavy Gauge						6" Economy Gauge, Ribbed									
		18" 3-Panel Heavy Gauge						6" Heavy Gauge, Ribbed									
								6" Heavy Gauge, Plain									
								8" Standard Gauge, Ribbed									
								8" Heavy Gauge, Ribbed									
								8" Heavy Gauge, Plain									
								10" Standard Gauge, Ribbed									
		4P9 Coastal Blue	•		•						•				•		
		457 Dark Drift	•		•						•				•		
		4P3 Espresso	•		•						•				•		
		4C2 Hudson Slate	•		•						•				•		
		4P6 Iron Ore	•		•	•					•				•		
		4C5 Majestic Brick	•		•						•				•		
		4C6 Marine Dusk	•		•						•				•		
		4C3 Meadow Fern	•		•						•				•		
		409 Midnight Surf	•		•						•				•		
		413 Moonlit Moss	•		•						•				•		
		4C4 Rockport Brown	•		•						•				•		
		4P2 Rockwell Blue	•		•						•				•		
		4C7 Smoked Timber	•		•						•				•		
		406 Windswept Smoke	•		•						•				•		

Some colours are special order; see your Gentek representative for details.

ALUMINUM ACCESSORIES COLOUR MATRIX

- Available in this colour.

	Colour Palette										
	431 Bright White	429 Ice White	430 Rainware White	432 Almond	475 AluCopper	165 Antique Brown	425 Black	322 Bright Red	471 Brownstone	467 Burgundy	410 Canyon Clay
2550 Snap-Lock Sill Trim	•			•							•
0109025 Universal Starter Strip											
2502 3/4" J-Trim	•	•		•		•	•		•	•	•
2312 Outside Corner Post (Woodgrain)	•	•		•		•	•		•	•	•
2319 Outside Corner Post (Smooth)	•	•		•		•	•		•	•	•
2503 Universal J	•	•		•		•	•		•	•	•
2538 L-Trim Small	•	•		•		•	•		•	•	•
2543 Drip Cap	•	•		•		•	•		•	•	•
2504 Undersill Trim	•	•		•		•	•		•	•	•
2567 Roof Edge Drip Cap	•	•		•		•	•		•	•	•
2573 Roof Edge 3" 0 Degree 9'10"	•						•				
2575 Roof Edge 4" 0 Degree 9'10"	•						•				
2577 Roof Edge 6" 0 Degree 9'10"	•						•				
2043 Woodgrain Fascia Trim (BSP)	•	•		•		•	•		•	•	•
2300 Individual Corner Cap	•										
2311 Individual Corner Cap Woodgrain	•										
2520 Soffit J (BSP)	•	•		•		•	•		•	•	•
2507 3/4" Wideface Soffit J	•										
2522 Soffit J (OSP)					•						
1692 Channel Runner	•	•		•		•	•		•	•	•
1690 Channel Runner					•						
Aluminum Flat Stock											
3036 24" x 50' (BSP) Heavy Gauge	•			•		•	•		•	•	•
3037 24" x 98' 1/2" (BSP)	•			•		•	•		•	•	•
3039 24" x 98' 1/2" (OSP)	•	•	•								
3304 24" x 50' (BSP)	•			•			•				•
3531 24" x 98' 1/2" (BSP)	•			•		•	•				•
3311 PVC Striated 24" x 50' (OSP)				•					•		
Aluminum Gutter Coil											
3025 Downpipe Coil 10-1/2" (OSP)		•	•	•		•	•	•	•	•	•
3006 Gutter Coil 11-7/8" (OSP)			•								
3009 Gutter Coil 11-7/8" (BSP)				•		•	•	•	•	•	•
3045 Gutter Coil 11-7/8" (OSP) Heavy Gauge			•				•				
3049 Gutter Coil 11-7/8" (BSP) Heavy Gauge				•		•	•	•			•
3012 Gutter Coil 13-1/2" (BSP)				•			•				•
3084 Gutter Coil 6" (BSP)				•			•				•

ALUMINUM ACCESSORIES COLOUR MATRIX

- Available in this colour.

	Designer Colours											
	4P9 Coastal Blue	457 Dark Drift	4P3 Espresso	4C2 Hudson Slate	4P6 Iron Ore	4C5 Majestic Brick	4C6 Marine Dusk	4C3 Meadow Fern	409 Midnight Surf	413 Moonlit Moss	4C4 Rockport Brown	4P2 Rockwell Blue
2550 Snap-Lock Sill Trim												
0109025 Universal Starter Strip												
2502 3/4" J-Trim	•	•	•	•	•	•	•	•	•	•	•	•
2312 3/4" Outside Corner Post (Woodgrain)	•	•	•	•	•	•	•	•	•	•	•	•
2319 3/4" Outside Corner Post (Smooth)	•	•	•	•	•	•	•	•	•	•	•	•
2503 Universal J	•	•	•	•	•	•	•	•	•	•	•	•
2538 L-Trim Small	•	•	•	•	•	•	•	•	•	•	•	•
2543 Drip Cap	•	•	•	•	•	•	•	•	•	•	•	•
2504 Undersill Trim	•	•	•	•	•	•	•	•	•	•	•	•
2567 Roof Edge Drip Cap	•	•	•	•	•	•	•	•	•	•	•	•
2573 Roof Edge 3" 0 Degree 9'10"												
2575 Roof Edge 4" 0 Degree 9'10"												
2577 Roof Edge 6" 0 Degree 9'10"												
2043 Woodgrain Fascia Trim (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
2300 Individual Corner Cap												
2311 Individual Corner Cap Woodgrain												
2520 Soffit J (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
2507 3/4" Wideface Soffit J												
2522 Soffit (OSP)												
1692 Channel Runner	•	•	•	•	•	•	•	•	•	•	•	•
1690 Channel Runner												
Aluminum Flat Stock												
3036 24" x 50' (BSP) Heavy Gauge	•	•	•	•	•	•	•	•	•	•	•	•
3037 24" x 98' 1/2" (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
3039 24" x 98' 1/2" (OSP)												
3304 24" x 50' (BSP)												
3531 24" x 98' 1/2" (BSP)				•		•	•				•	
3311 PVC Striated 24" x 50' (OSP)		•										
Aluminum Gutter Coil												
3025 Downpipe Coil 10-1/2" (OSP)	•	•	•	•	•	•	•	•	•	•	•	•
3006 Gutter Coil 11-7/8" (OSP)												
3009 Gutter Coil 11-7/8" (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
3045 Gutter Coil 11-7/8" (OSP) Heavy Gauge												
3049 Gutter Coil 11-7/8" (BSP) Heavy Gauge	•	•	•	•	•	•	•	•	•	•	•	
3012 Gutter Coil 13-1/2" (BSP)		•	•	•	•	•	•			•	•	
3084 Gutter Coil 6" (BSP)				•	•	•	•			•	•	

[illegible]

	Colour Palette			
	990 Aspen Gray	992 Chestnut Brown	994 Maple Tan	996 Tawny Oak
2317 Cedarwood Outside Corner Post	●	●	●	●
2318 Cedarwood 3/4" J-Channel	●	●	●	●
2320 Cedarwood Snap-Lock Finish Trim	●	●	●	●

		Colour Palette						
		431 Almond [Navajo Beige]	447 Ash Gray [Iron Gray]	4H1 Barn Brown [Timber Bark]	4H2 Bright White [Arctic White]	4H5 Desert Sand [Monterey Taupe]	4H6 Fieldstone [Cobble Stone]	4H4 Stone Gray [Pearl Gray]
Gentek Colour	[James Hardie Colour]							
1601 Solid Quad 4 Soffit		●	●	●	●	●	●	●
1606 Vented Quad 4 Soffit		●	●	●	●	●	●	●
2520 Soffit J-Channel		●	●	●	●	●	●	●
3037 Flat Stock (trim coil)		●	●	●	●	●	●	●
3009 Gutter Coil (90 kg)		●	●	●	●	●	●	●

Aluminum Flat Stock		Colour Palette				
		527 Cedar XL	551 Country Red XL	598 Green	541 Khaki	549 White XL
3307 CanExcel 24" x 98' 1/2" (BSP)		•	•	•	•	•

GENTEK VINYL SIDING AND SOFFIT

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

Property	ASTM Test	Results
Tensile Strength (psi)	D-638	6,700
Modulus of Elasticity (psi)	D-638	410,000
Izod Impact (70°F)	D-256	3.6 (ft-lb/in of notch)
Izod Impact (32°F)	D-256	2.0 (ft-lb/in of notch)
Flexural Strength (psi)	D-790	14,000
Coefficient of Linear Expansion	D-696	5.3 x 10 ⁻⁵ (mm/mm °C) 2.9 x 10 ⁻⁵ (in/in °F)
Deflection Temperature Under Load 264 psi (°C)	D-648	73

PRODUCT PHYSICALS:

All siding products, soffit panels and accessories are made with solid colour throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Colour: Spectrophotometer controlled

Gloss: Gardner gloss meter controlled

Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

<i>Sequoia Select EnFusion</i>	0.046"
<i>Sequoia Select</i>	0.046"
<i>Board & Batten</i>	0.050"
<i>Fair Oaks</i>	0.044"
<i>Concord</i>	0.042"
<i>Driftwood II</i>	0.040"
<i>Sequoia Select Ultra-Premium Soffit</i>	0.044"
<i>Oxford Premium Soffit</i>	0.042"
<i>Beaded Premium Soffit</i>	0.042"
<i>Fairweather Soffit</i>	0.040"

WARRANTY:

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. *Warranty is transferable if the home is sold. See printed warranty for complete details.*

SOFFIT VENTILATION AREA:

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

12" Sequoia Select Ultra-Premium Vented	10 sq in
10" Oxford Fully Vented	5.3 sq in
8" Beaded Vented	2.4 sq in
12" Fairweather Centre Vented	2.3 sq in
12" Fairweather Fully Vented	7.1 sq in

FIRE RESISTANCE RATINGS:

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

Property	ASTM Test	Results
Average Burn Distance	D-635	20mm
Average Burn Time	D-635	<5 seconds
Flash Ignition Temperature	D-1929	752°F
Self Ignition Temperature	D-1929	860°F
Flame Spread Index	E-84	15
Smoke Developed Index	E-84	<400
Fire Resistance	E-119	1-hour rated* 2-hour rated*

**See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.*

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

WINDLOAD PROPERTIES:

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

BUILDING CODES:

Gentek vinyl products meet or exceed the following building code specifications:

ICC-ESR – 1133
CCMC – 06541-L
New York City MEA 132-94-M
FHA/HUD Minimum Property Standards

For architectural specifications of designer siding and other products, please see your local Gentek dealer.

GENTEK ALUMINUM SIDING AND SOFFIT

ALUMINUM METAL PROPERTIES:

Alloy or equivalent.....	AA3000
Specific Gravity	2.72
Modulus of Elasticity (ksi)	10,000
Melting Range (°F)	1175-1210

COATING PROPERTIES: Gentek aluminum products are manufactured with AA3000 series alloy (or equivalent). Both sides of the aluminum are cleaned with a specially formulated cleaner. The cleaned aluminum is then treated with an acid solution containing chrome to enhance corrosion resistance and coating adhesion.

Polyester (Poly) Topcoat: The topside of the pretreated aluminum is coated with a thermoset polyester polymer which is dried and cured at about 450 °F, forming a hard but flexible and weatherable coating. Total coating thickness is approximately 18 micrometers.

WEATHERING AND TESTING: Gentek products are tested for superior adhesion and forming properties. Gentek's stringent colour specifications allow batch to batch mixing of product. Product testing includes colour, film thickness, gloss, hot water/impact test, freezer/impact test, salt spray, humidity testing (1000 hours) and outdoor exposure (2 years).

COMPLIANCE: The aluminum alloys used meet the ULC Standard CAN4-S114-M80, defining the noncombustibility of aluminum alloys.

WARRANTY: 40 Year Limited Warranty. Warranty is transferable.

CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS:

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

NOMINAL GAUGES (mm):

Product	Gauge
8" Horizontal	0.53
D4 Dutch Lap	0.40
D4 Clapboard.....	0.40 and 0.44
8" Vertical Board & Batten.....	0.50
Vertical "V".....	0.40
16" Soffit – 2 Panel	0.29 and 0.38
16" Soffit – 4 Panel	0.29 and 0.38
18" Soffit – 3 Panel	0.33
4" Fascia – rib.....	0.44
6" Fascia – rib and non-rib.....	0.44 and 0.50
8" Fascia – rib and non-rib	0.44 and 0.50
Gutter Coil.....	0.57, 0.66 and 0.79

SOFFIT VENTILATION AREA:

Gentek soffit is available in a variety of profiles. Vented panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat build-up and water vapour condensation.

PROFILE	PER LINEAR FOOT	PER PANEL
16" – 2 panel	4.02 sq in (26.0 cm ²)	48.7 sq in (314.00 cm ²)
16" – 4 panel	4.12 sq in (26.6 cm ²)	51.25 sq in (330.64 cm ²)
18" – 3 panel	5.46 sq in (35.2 cm ²)	54.6 sq in (352.26 cm ²)

VENTILATION: Fully vented

GENTEK STEEL SIDING

METAL PROPERTIES:

<i>Steel or Equivalent</i>	<i>AZ-50</i>
<i>Specific Gravity</i>	<i>7.8</i>
<i>Minimum Ultimate Strength (KSI)</i>	<i>45-55</i>
<i>Minimum Yield (KSI)</i>	<i>40-50</i>
<i>Minimum Elongation (%)</i>	<i>25-35</i>
<i>Modulus of Elasticity (KSI)</i>	<i>29,500</i>
<i>Coefficient of Thermal Expansion (in/in °F)</i>	<i>0.000006</i>
<i>Melting Range (°F) Steel</i>	<i>>2700</i>
<i>Melting Range (°F) Zinc</i>	<i>786</i>
<i>Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)</i>	<i>555</i>

COATING PROPERTIES:

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF₂): This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF₂. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY:

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS:

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

PRODUCT PHYSICALS:

Product	Coating Type	Thickness*
<i>Sierra Steel</i>	<i>PVDF₂</i>	<i>0.017</i>
<i>SteelSide</i>	<i>PVC</i>	<i>0.017</i>

**29 Gauge*

BUILDING CODES:

Gentek steel products meet or exceed the following building code specifications:

ICC-ES Legacy – Report #97-64

AAMA 1406-86

FHA/HUD Minimum Property Standards

GENTEK ALIGN COMPOSITE CLADDING**PHYSICAL DATA:**

Colour Uniformity is spectrophotometrically controlled
Emboss Cedar mill grain
Gloss Uniform low gloss maintained with a 75° gloss meter

PRODUCT TEST DATA:

Impact Resistance	57 inch lbs
Coefficient of Linear Expansion (in/in/°F)	2.3×10^{-5}
Thermal Resistance	R-value 2.0*
ASTM D3345, Termite Resistance	Complete resistance
ASTM D5206-13, Windload Resistance (16" OC nails, 1-1/4" penetration)	53 psf (180 mph/290 km/h)

*When installed directly over sheathing.

FIRE RESISTANCE:

ASTM E84 - Class A	Flame spread index ≤ 25
	Smoke developed index ≤ 450
ASTM E119 Rated Assemblies	Approved for use
ASTM D635, Rate of Burn	No self-sustained burn
ASTM D1929, Self-Ignition/Flash-Ignition Temperature	770°F (410°C)
NFPA 268, Section 1406 of IBC	Approved for use

CODES AND REGULATORY COMPLIANCE:

Intertek Code Compliance Research Report #0316
ICC-ES Evaluation Report – ESR 4449
Florida Product Approval #31747

WARRANTY:

Gentek backs ALIGN with a lifetime limited warranty to the original homeowner; the warranty is transferable if the home is sold.

THREE-PART FORMAT SPECIFICATION:

Long-form specification in three-part format is available at
ALIGNCompositeCladding.com.

COMPOSITE CLADDING | COLOUR PALETTE

Snow White	Dover Gray	Rockwell Blue
Almond	Chesapeake Gray	Midnight Surf
Monterey Sand	Storm	Marine Dusk
Pebble	Hudson Slate	Meadow Fern
Dark Drift	Windswept Smoke	Moonlit Moss
Rockport Brown	Iron Ore	Majestic Brick
Smoked Timber	Coastal Blue	

VINYL COLOUR PALETTE

Classic Colours

Snow White	Canyon Clay	Dover Gray
Sandstone	Pebble	Storm
Linen	Monterey Sand	Chesapeake Gray
Almond	Amber	Sage
Maize	Pearl	Juniper Grove
Wicker		

Designer Colours

Majestic Brick	Meadow Fern	Marine Dusk
Dark Drift	Moonlit Moss	Hudson Slate
Rockport Brown	Rockwell Blue	Windswept Smoke
Espresso	Coastal Blue	Iron Ore
Musket Brown (soffit only)	Midnight Surf	Black (soffit only)
Smoked Timber		

ALUMINUM COLOUR PALETTE

Bright White	Sable	Wedgewood Blue
Rainware White	Rockport Brown	Midnight Surf
Ice White	Smoked Timber	Coastal Blue
White 701	Metallic Gray	Old World Blue
Sandstone	Pearl	Marine Dusk
Cashmere	Dover Gray	AluCopper
Almond	Storm	Burgundy
Maize	Chesapeake Gray	Majestic Brick
Wicker	Slate	Nutmeg
Canyon Clay	Hudson Slate	Chestnut Brown
Pebble	Windswept Smoke	Commercial Brown
Sandalwood	Sage	Antique Brown
Monterey Sand	Meadow Fern	Espresso
Lambeth Beige	Moonlit Moss	Graphite
Tan	Ivy Green	Iron Ore
Brownstone	Forest Green	Black
Dark Drift	Rockwell Blue	

ALUMINUM | VARIEGATED COLOUR PALETTE

Cedarwood Aluminum Colours

Tawny Oak	Aspen Gray	Maple Tan
Chestnut Brown		

ALUMINUM | COLOUR MATCH

James Hardie Colour Match Gentek Colour [James Hardie Colour]

Bright White [Arctic White]	Ash Gray [Iron Gray]	Desert Sand [Monterey Taupe]
Stone Gray [Pearl Gray]	Almond [Navajo Beige]	Barn Brown [Timber Bark]
Pewter [Aged Pewter]	Fieldstone [Cobblestone]	

CanExcel Colours

White XL	Khaki	Cedar XL
Green	Country Red XL	

STEEL COLOUR PALETTE

Sierra Steel Colours

Bright White	Sable	Iron Ore
Chelsea Bluff	Juniper Grove	Rockwell Blue
Monterey Sand	Dover Gray	Watermill Blue
Delray Sand	Storm	Taylor Red
Thistle		

SteelSide Colours

Bright White	Brownstone	Sage
Almond	Norwood	Pacific Blue
Wicker	Thistle	Dover Gray
Canyon Clay	Sable	

gentek.ca



1001 Corporate Drive
Burlington, ON L7L 5V5

Make us a part of your home.

Not all products and colours are available all locations. Please check with your local Gentek branch for product availability. Colours may be slightly different from their appearance in this brochure. Make final colour selections using actual product samples. Product Improvement Policy: Gentek Building Products is constantly improving product designs and manufacturing processes. We therefore must reserve the right to change specifications without notice. Please consult Gentek Building Products for current details. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates or their respective owners. Accessible formats and communication supports available upon request.

Effective Date: August 2023

